



Concrete Roof Tile
The **Southwest** Collection



SIMPLE. *elegant*. SOLUTIONS.
from a company you can trust



Your Concrete Tile Roof Is More Than Just Curb Appeal— It's Protection With Purpose

Built to endure. Designed to elevate your home's beauty.

When you purchase an Eagle concrete tile roof, the benefits are nothing short of exceptional—delivering superior energy efficiency, unmatched durability, and a level of refined curb appeal that continues to perform year after year.

Energy Efficiency

- Tile roofs keep homes cooler in the summer and warmer in the winter, lowering energy use and cooling costs
- Tile roofs are inherently energy efficient
 - Naturally ventilated design enables air to circulate between the tile and roof deck
 - Its thermal mass allows for the absorption, storage and slow release of heat energy
 - Naturally reflective, reducing the amount of solar radiation absorbed by the roof
 - Lighter colors can further improve solar reflectance, repelling heat and UV rays
- **Compared to a dark asphalt shingle roof, a concrete tile roof can trim your cooling bill by 20% or more a year**

Durability & Longevity

- **A properly installed and maintained concrete tile roof can last 45-75 years or more**
- Dense, hard material that resists impact, fading, and cracking
- Class A Roof Covering offering superior protection against fire
- Can withstand hurricane-force winds up to 180 mph
- Impervious to damage from repeated freezing and thawing cycles
- Insurance incentives increasingly favor resilient materials

Curb Appeal

- **Concrete tile roofs provide a timeless, elegant and high-end look**
 - A roof represents about 40% of a home's curb appeal
- Symbol of luxury and quality construction
- Distinct shapes and colors complement both modern and traditional designs
- Homes with tile roofs signal a significant investment and have a higher resale value

For more information, visit eagleroofing.com



Bel Air-4697 Slate Range







Bel Air, Staggered—4602 Concord Blend

2026

Color of the Year

CONCORD BLEND



A gorgeous palette that radiates warmth, harmony, and effortless sophistication.

Comprised of rich, nature-inspired hues of charcoal and tan, **Concord Blend** is a luxe neutral that brings a sophisticated, grounded look to any residential or commercial space.

Available in multiple profiles, this modern blend rises to the occasion by instantly adding character and dimension to your overall facade. A beautiful balancing act of deep, organic tones, **Concord Blend** anchors and defines the roofline while creating a cohesive, elevated exterior that feels both inviting and timeless.

How To Style Concord Blend:

- **For an earthy look:** Choose a creamy white or muted green for your main base to complement the tan elements in the roof tile. A medium-toned greige on the front door, shutters, or siding can serve as the perfect bridge to tie the palette together. Natural wood and dark metal hardware will help unify the space.
- **Lean into bold:** Dark navy, smoky black or rich terracotta are powerful choices to create a stunning effect. Copper or bronze gutters, light fixtures and accessories will add a touch of luxury.

Uncover the enduring, sophisticated beauty of Concord Blend.

Learn more/request a free sample, by visiting: eagleroofting.com/2026-color-of-the-year



Classic Collection

Limitless options without compromise; that is what you get with Eagle's Classic Collection. A robust portfolio of concrete roof tiles featuring our core colors and signature profiles, our Classics are crafted to bring timeless beauty, lasting performance, and unmistakable character to every home and commercial project. Available in a rich spectrum of ranges and blends—from warm earth-inspired tones and cool grays to refreshing natural hues—we make it easy to create a gorgeous exterior that is not only distinctive but enduring.

Turn ordinary structures into standout showcases with the Classic Collection.







BEL AIR


BEL AIR

Sometimes, the beauty is in the simplicity of the design. As our most popular profile, Bel Air features a flat, smooth surface with tailored lines and a clean square butt, delivering a sleek and elegant finish. Exquisite on its own or paired with complementary exterior elements, Bel Air’s versatility allows you to elevate your curb appeal with artful combinations of pavers, siding, stonework, lush landscaping, and more. The possibilities are truly endless!



4502 Arcadia Canyon Brown

CRRC 0918-0043 REF.13 EMI .94 SRI 12 A.REF.17 A.EMI .92 A.SRI 16



4503 Sierra Madre

CRRC 0918-0111 REF.11 EMI .92 SRI 9 A.REF.12 A.EMI .92 A.SRI 10



4511 Flintridge Gray

CRRC 0918-0003 REF.21 EMI .93 SRI 22 A.REF.21 A.EMI .90 A.SRI 21



4520 Weathered Terracotta Flashed

CRRC 0918-0038 REF.19 EMI .93 SRI 19 A.REF.20 A.EMI .92 A.SRI 20



4602 Concord Blend



4530 Weathered Adobe

CRR0918-0017 REF.23 EMI.92 SRI 24 A.REF.26 A.EMI.90 A.SRI 27



4549 Santa Paula

CRR0918-0049 REF.20 EMI.89 SRI 19 A.REF.20 A.EMI.89 A.SRI 19



4591 Dark Gray Range

CRR0918-0130 REF.14 EMI.90 SRI 11 A.REF.13 A.EMI.91 A.SRI 10



4602 Concord Blend

CRR0918-0107 REF.15 EMI.92 SRI 14 A.REF.16 A.EMI.93 A.SRI 15



BEL AIR



4634 Kings Canyon Blend, Staggered



4634 Kings Canyon Blend

CRRC 0918-0044 REF.13 EMI .94 SRI 12 A.REF .17 A.EMI .92 A.SRI 16



NEW

4645 Sunrise Blend

CRRC 0918-0030 REF.18 EMI .93 SRI 18 A.REF .21 A.EMI .93 A.SRI 22



4646 Sunset Blend

CRRC 0918-0042 REF.16 EMI .94 SRI 15 A.REF .18 A.EMI .91 A.SRI 17



4687 Brown Gray Range

CRRC 0918-0028 REF.15 EMI .91 SRI 13 A.REF .16 A.EMI .92 A.SRI 15



4689 Brown Range

CRRC 0918-0026 REF.15 EMI.92 SRI 14 A.REF.17 A.EMI.93 A.SRI 17



4697 Slate Range

CRRC 0918-0046 REF.15 EMI.94 SRI 15 A.REF.17 A.EMI.92 A.SRI 16



4698 Kona Red Range

CRRC 0918-0018 REF.22 EMI.91 SRI 22 A.REF.21 A.EMI.91 A.SRI 21



4743 Cocoa Range

CRRC 0918-0106 REF.12 EMI.91 SRI 9 A.REF.14 A.EMI.93 A.SRI 13



4697 Slate Range



BEL AIR



4883 Hillsborough Blend

CRR0918-0098 REF.17 EMI .94 SRI 17 A.REF .19 A.EMI .94 A.SRI 19

SCB 8402 Santa Cruz Blend

CRR0918-0058 REF.14 EMI .89 SRI 11 A.REF .17 A.EMI .92 A.SRI 16



SCB 8823 Pebble Beach Blend


CRR0918-0120 REF.19 EMI .92 SRI 19 A.REF .20 A.EMI .92 A.SRI 20

SRB 8828 Bridgeport Blend Copper

CRR0918-0119 REF.14 EMI .92 SRI 12 A.REF .17 A.EMI .92 A.SRI 17



SCB 8402 Santa Cruz Blend



SRB 8828 Bridgeport Blend Copper



PONDEROSA

PONDEROSA

A durable, fire-resistant, and more affordable alternative to wood shake, our Ponderosa concrete roof tile has beautiful thick, textured shadow lines that graze its surface to deliver a truly rustic and natural wood appearance. A classic look that blends with nature, a Ponderosa tile roof complements both modern and historic architectural styles including but not limited to: Craftsman, Colonial, Coastal, Southwestern and Tudor. Choose Ponderosa for a roof that delivers natural beauty and lasting strength.



5502 Arcadia Canyon Brown

CRRC 0918-0043 REF.13 EMI .94 SRI 12 A.REF .17 A.EMI .92 A.SRI 16



5503 Sierra Madre

CRRC 0918-0111 REF.11 EMI .92 SRI 9 A.REF .12 A.EMI .92 A.SRI 10



5511 Flintridge Gray

CRRC 0918-0003 REF.21 EMI .93 SRI 22 A.REF .21 A.EMI .90 A.SRI 21




5520 Weathered Terracotta Flashed

CRRC 0918-0038 REF.19 EMI .93 SRI 19 A.REF .20 A.EMI .92 A.SRI 20



5549 Santa Paula

CRRC 0918-0049 REF.20 EMI .89 SRI 19 A.REF.20 A.EMI .89 A.SRI 19



5591 Dark Gray Range

CRRC 0918-0130 REF.14 EMI .90 SRI 11 A.REF.13 A.EMI .91 A.SRI 10



5503 Sierra Madre, Staggered



PONDEROSA



5511 Flintridge Gray



5602 Concord Blend

CRRC 0918-0107 REF.15 EMI.92 SRI 14 A.REF.16 A.EMI.93 A.SRI 15



5634 Kings Canyon Blend

CRRC 0918-0044 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



5671 Village Blend

CRRC 0918-0039 REF.17 EMI.93 SRI 17 A.REF.18 A.EMI.92 A.SRI 17



5687 Brown Gray Range

CRRC 0918-0028 REF.15 EMI.91 SRI 13 A.REF.16 A.EMI.92 A.SRI 15



5689 Brown Range

CRR0918-0026 REF.15 EMI.92 SRI 14 A.REF.17 A.EMI.93 A.SRI 17



5699 Charcoal Range

CRR0918-0046 REF.15 EMI.94 SRI 15 A.REF.17 A.EMI.92 A.SRI 16



5808 Tombstone Blend

CRR0918-0097 REF.17 EMI.95 SRI 17 A.REF.19 A.EMI.94 A.SRI 20




SHP 9713 Tiburon Blend

CRR0918-0121 REF.17 EMI.93 SRI 17 A.REF.19 A.EMI.92 A.SRI 18




SHP 9713 Tiburon Blend



TAPERED SLATE

Enjoy the look of natural slate at a fraction of the cost with Tapered Slate. This gorgeous concrete roof tile features a smooth, refined texture, beveled sides, and a distinctive ragged butt edge that adds an artistic touch. Its unique, handcrafted appearance enhances any exterior with timeless sophistication. Offered in rich color variations—from deep and airy grays to versatile browns and a harmonious earthy green blend—Tapered Slate delivers classic elegance that lasts a lifetime and feels uniquely your own.




49503 Sierra Madre

CRRC 0918-0111 REF.11 EMI.92 SRI 9 A.REF.12 A.EMI.92 A.SRI 10



49581 Arcadia Canyon Brown

CRRC 0918-0043 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



49591 Dark Gray Range

CRRC 0918-0130 REF.14 EMI.90 SRI 11 A.REF.13 A.EMI.91 A.SRI 10



49602 Concord Blend

CRRC 0918-0107 REF.15 EMI.92 SRI 14 A.REF.16 A.EMI.93 A.SRI 15



49621 Tehachapi Blend

CRR0918-0052 REF.18 EMI.89 SRI 16 A.REF.19 A.EMI.92 A.SRI 19



49655 Mount Dora Blend

CRR0918-0109 REF.17 EMI.93 SRI 16 A.REF.19 A.EMI.94 A.SRI 20



49801 New Orleans Blend

CRR0918-0125 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



49591 Dark Gray Range




CAPISTRANO

A high S-profile, our Capistrano tile is semi-cylindrical and remains the most traditionally recognized silhouette in roofing. A true style icon, this centuries-old design beautifully complements Spanish and Italian architecture and pairs effortlessly with stucco, stone, and brick exteriors. Yet its timeless appeal extends far beyond its Mediterranean roots—Capistrano’s striking presence enhances virtually every type of structure, from traditional to modern residential and commercial buildings to military and institutional projects. With Capistrano, you’re not just selecting a roof—you’re investing in a legacy of elegance and endurance.



3419 Marana



3503 Sierra Madre

CRRC 0918-0111 REF.11 EMI.92 SRI 9 A.REF.12 A.EMI.92 A.SRI 10



3520 Weathered Terracotta Flashed

CRRC 0918-0038 REF.19 EMI.93 SRI 19 A.REF.20 A.EMI.92 A.SRI 20



3549 Santa Paula

CRRC 0918-0049 REF.20 EMI.89 SRI 19 A.REF.20 A.EMI.89 A.SRI 19



3576 Topanga

CRR0918-0027 REF.21 EMI.92 SRI 21 A.REF.22 A.EMI.92 A.SRI 23



3578 Ramona

CRR0918-0034 REF.15 EMI.93 SRI 14 A.REF.18 A.EMI.91 A.SRI 17



3581 Arcadia Canyon Brown

CRR0918-0043 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



3591 Dark Gray Range

CRR0918-0130 REF.14 EMI.90 SRI 11 A.REF.13 A.EMI.91 A.SRI 10



CAPISTRANO



3578 Ramona



3602 Concord Blend

CRRC 0918-0107 REF.15 EMI.92 SRI 14 A.REF.16 A.EMI.93 A.SRI 15



3606 Vallejo Range

CRRC 0918-0048 REF.15 EMI.92 SRI 14 A.REF.18 A.EMI.91 A.SRI 17



3628 Knoxville Blend

CRRC 0918-0100 REF.20 EMI.93 SRI 21 A.REF.21 A.EMI.95 A.SRI 23



3634 Kings Canyon Blend

CRRC 0918-0044 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



3636 Piedmont Blend

CRR0918-0066 REF.18 EMI.90 SRI 16 A.REF.19 A.EMI.94 A.SRI 19



3645 Sunrise Blend

CRR0918-0030 REF.18 EMI.93 SRI 18 A.REF.21 A.EMI.93 A.SRI 22



3646 Sunset Blend

CRR0918-0042 REF.16 EMI.94 SRI 15 A.REF.18 A.EMI.91 A.SRI 17



3684 San Rafael Blend

CRR0918-0068 REF.16 EMI.91 SRI 14 A.REF.18 A.EMI.94 A.SRI 19



3628 Knoxville Blend



CAPISTRANO



3687 Brown Gray Range

CRR0918-0028 REF.15 EMI.91 SRI 13 A.REF.16 A.EMI.92 A.SRI 15



3689 Brown Range

CRR0918-0026 REF.15 EMI.92 SRI 14 A.REF.17 A.EMI.93 A.SRI 17



3697 Slate Range

CRR0918-0046 REF.15 EMI.94 SRI 15 A.REF.17 A.EMI.92 A.SRI 16



3698 Kona Red Range

CRR0918-0018 REF.22 EMI.91 SRI 22 A.REF.21 A.EMI.91 A.SRI 21



3773 Walnut Creek Blend



39706 Grand Canyon



3723 Adobe Blend

CRR0918-0045 REF.17 EMI.92 SRI 16 A.REF.17 A.EMI.91 A.SRI 16



3743 Cocoa Range

CRR0918-0106 REF.12 EMI.91 SRI 9 A.REF.14 A.EMI.93 A.SRI 13



3773 Walnut Creek Blend

CRR0918-0037 REF.20 EMI.94 SRI 21 A.REF.23 A.EMI.91 A.SRI 23



3785 Clay Springs

CRR0918-0126 REF.17 EMI.94 SRI 17 A.REF.20 A.EMI.92 A.SRI 20



CAPISTRANO



3813 San Mateo Blend



3813 San Mateo Blend

CRRC 0918-0090 REF .19 EMI .93 SRI 18 A.REF .20 A.EMI .95 A.SRI 22




39706 Grand Canyon

CRRC 0918-0077 REF .32 EMI .87 SRI 33 A.REF .28 A.EMI .92 A.SRI 31



SCC 8823 Pebble Beach Blend

CRRC 0918-0120 REF .19 EMI .92 SRI 19 A.REF .20 A.EMI .92 A.SRI 20



SCC 8825 Corona Del Mar Blend

CRRC 0918-0074 REF .14 EMI .90 SRI 12 A.REF .17 A.EMI .92 A.SRI 16



SMC 8401 San Miguel Blend

CRRC 0918-0114 REF .11 EMI .93 SRI 9 A.REF .13 A.EMI .93 A.SRI 12



SMC 8402 Santa Cruz Blend

CRRC 0918-0058 REF .14 EMI .89 SRI 11 A.REF .17 A.EMI .92 A.SRI 16




SMC 8401 San Miguel Blend



MALIBU

Malibu is a medium-height concrete roof tile with a striking double-S silhouette that instantly elevates any structure. Its smooth, gentle curves create a captivating roofline that pairs beautifully with modern architecture and expansive building designs. Ideal for distinct homes, upscale apartments, boutique hotels, places of worship, and impressive commercial spaces, Malibu offers a rare blend of character and sophistication. It's the perfect harmony of Mediterranean warmth and contemporary style—an unforgettable look that transforms any roof into a statement.



NEW

2503 Sierra Madre

CRRC 0918-0111 REF.11 EMI.92 SRI 9 A.REF.12 A.EMI.92 A.SRI 10



2520 Weathered Terracotta Flashed

CRRC 0918-0038 REF.19 EMI.93 SRI 19 A.REF.20 A.EMI.92 A.SRI 20



NEW

2549 Santa Paula

CRRC 0918-0049 REF.20 EMI.89 SRI 19 A.REF.20 A.EMI.89 A.SRI 19




2581 Arcadia Canyon Brown

CRRC 0918-0043 REF.13 EMI.94 SRI 12 A.REF.17 A.EMI.92 A.SRI 16



2606 Vallejo Range



2591 Dark Gray Range

CRR0918-0130 REF.14 EMI.90 SRI 11 A.REF.13 A.EMI.91 A.SRI 10



2602 Concord Blend

CRR0918-0107 REF.15 EMI.92 SRI 14 A.REF.16 A.EMI.93 A.SRI 15



2606 Vallejo Range

CRR0918-0048 REF.15 EMI.92 SRI 14 A.REF.18 A.EMI.91 A.SRI 17



2645 Sunrise Blend

CRR0918-0030 REF.18 EMI.93 SRI 18 A.REF.21 A.EMI.93 A.SRI 22



MALIBU



2687 Brown Gray Range

CRR0918-0028 REF.15 EMI .91 SRI 13 A.REF.16 A.EMI .92 A.SRI 15



2697 Slate Range

CRR0918-0046 REF.15 EMI .94 SRI 15 A.REF.17 A.EMI .92 A.SRI 16



2698 Kona Red Range

CRR0918-0018 REF.22 EMI .91 SRI 22 A.REF.21 A.EMI .91 A.SRI 21



29706 Grand Canyon

CRR0918-0077 REF.32 EMI .87 SRI 33 A.REF.28 A.EMI .92 A.SRI 31



2697 Slate Range



SMM 8402 Santa Cruz Blend

CRR0918-0058 REF.14 EMI.89 SRI 11 A.REF.17 A.EMI.92 A.SRI 16



2687 Brown Gray Range





Premium Suite


ALL NEW COLORS!

Introducing our Premium Suite, a curated palette designed to bring unparalleled richness and distinction to any home or commercial structure. These elevated hues infuse every project with a sense of luxury and individuality, complemented by the timeless beauty and long-lasting confidence that only an Eagle concrete tile roof can offer.

Create a space that feels distinctive and beautifully your own with the Premium Suite.



4669 Grays Peak Range



4595 Dark Charcoal Range

CRR0918-0116 REF.08 EMI .92 SRI 5 A.REF .10 A.EMI .92 A.SRI 7



4598 Ocotilla

BEL AIR

FEATURED PRODUCT


4669 Grays Peak Range



Inspired by the stunning terrain of the tenth-highest summit in the Rocky Mountains, Grays Peak Range showcases a refined combination of dark, light, and warm gray tones that echo the natural color transitions found in the rugged slopes and snow-covered peaks of this majestic landscape. Rich in dimension, this roofscape delivers maximum visual impact while remaining remarkably versatile—balancing warm and cool hues to complement both traditional and contemporary architecture. The result is a beautiful home that feels grounded, enduring, and effortlessly sophisticated.

CRRC: 0918-0128

REF .19 EMI .94 SRI 20 A.REF .21 A.EMI .92 A.SRI 22



4814 San Pablo Blend


CRRC 0918-0092 REF .23 EMI .93 SRI 24 A.REF .24 A.EMI .95 A.SRI 26



4595 Dark Charcoal Range



49785 Clay Springs



49595 Dark Charcoal Range

CRRC 0918-0116 REF.08 EMI .92 SRI 5 A.REF .10 A.EMI .92 A.SRI 7



49626R Rancho Cordova Blend Copper

CRRC 0918-0118 REF.19 EMI .93 SRI 19 A.REF .21 A.EMI .91 A.SRI 21



TAPERED SLATE

FEATURED PRODUCT

49785 Clay Springs



A Clay Springs tile roof in our Tapered Slate profile has a way of making an impression, bringing a sense of refined elegance that feels both modern and timeless. Its warm hues of dark brown and golden brown, touched with subtle yellow notes, create a luxurious yet deeply inviting, grounded presence that instantly enhances the architecture beneath it.

Whether paired with creamy off-whites, soft beiges, sage greens, warmer-leaning grays, or gentle yellows, Clay Springs brings a sense of intention and beauty to your exterior, creating a look that feels cohesive and truly stunning.


CRRC: 0918-0126

REF .17 EMI .94 SRI 17 A.REF .20 A.EMI .92 A.SRI 20



49882R Manteca Blend Copper

CRRC 0918-0127 REF .14 EMI .94 SRI 14 A.REF .18 A.EMI .92 A.SRI 17



49595 Dark Charcoal Range



3598 Ocotilla



3595 Dark Charcoal Range

CRRC 0918-0116 REF.08 EMI .92 SRI 5 A.REF .10 A.EMI .92 A.SRI 7

3814 San Pablo Blend

CRRC 0918-0092 REF.23 EMI .93 SRI 24 A.REF .24 A.EMI .95 A.SRI 26

CAPISTRANO

FEATURED PRODUCT

3598 Ocotilla




A luminous base of tan with charcoal and soft cream streaks, Ocotilla is warm and inviting. This palette captures the gentle glow that stretches across desert landscapes at golden hour, bringing a sense of calm and natural radiance to your home. Its layered tones add depth without weight, creating a balanced mix of softness and structure that elevates any exterior. Ocotilla complements a wide range of colors—from sandy neutrals to medium-dark grays, rich browns and muted terracottas—and pairs beautifully with wood and stone materials for a look that's modern, grounded and seamless.



SCC 8829 Santa Fe Blend

CRRC 0918-0115 REF.13 EMI.91 SRI 11 A.REF.19 A.EMI.92 A.SRI 19



SCC 8829 Santa Fe Blend

Boosted Capistrano

ACCESSORY TILE

SPECIALTY INSTALL

Love the look of a Capistrano tile roof? Augment its beauty by replicating the style of an authentic mortar-boosted clay roof.

Our Boosted Capistrano accessory pieces create a timeless, Old-World aesthetic by giving our high-barrel tiles a staggered, layered appearance that adds significant depth and character to the roofline.

Considerations:

- Discuss with your Roofing Contractor as this is a specialized, high-end installation that is more labor-intensive and requires additional materials.
- Choose your style: neat treatment or a more traditional, aged look.
- Decide on both the color of the mortar, as well as the boosted accessory piece to go with your base tile.

For a complete list of Boosted Capistrano Accessory Tile colors available in your area, visit: eagleroofting.com/products/specialty-installations/boosted-capistrano/



▼ approx. 30% Overall Boost

% USED ON ROOF	APPROX. INSTALLED WEIGHT FIELD TILE PER 100 SQ FT
10% Application	990
20% Application	1080
30% Application	1170

Each Boosted piece weighs approximately 4.8 lbs.





▲ approx.20% Overall Boost

▼ approx. 10% Overall Boost



closeup detail



Staggered Coursing

SPECIALTY INSTALL

Make your home impossible to ignore with a staggered roof installation.

Instantly elevate your exterior with a roofline defined by natural texture, organic movement, and undeniable presence. Staggered coursing offsets individual tiles within each row to create an appealing rise-and-fall effect, resulting in a more authentic, visually dynamic pattern that adds depth and interest—giving your home a custom-crafted look that stands apart from the rest.

The result is curb appeal with character— that feels refined, architectural, and unmistakably yours.

Considerations:

- Best for Eagle’s flat roof tile profiles.
- Great option for homeowners who want a timeless, handcrafted design.
- Discuss with your Roofing Contractor as this is a skilled installation method that requires careful planning of the entire roof layout, along with consideration for weight & waste.
- Factor in your budget as staggered installations can increase both material and labor costs.




▼ Ponderosa Staggered





▲ Bel Air Staggered

▼ Ponderosa Staggered



Illustrated Installation



Why Eagle Roofing Products and Concrete Roof Tile

Using globally sourced materials to create our products, Eagle Roofing Products is the largest privately held, USA-owned concrete roof tile manufacturer in the nation. Choosing Eagle means investing in a concrete tile roof that is visually striking, exceptionally durable, energy-efficient, and sustainable.

Founded in 1989, Eagle has expanded its operations to four manufacturing plants and two strategically located stocking yards, ensuring we can meet the growing demand for concrete roof tile throughout the United States and Canada. With decades of industry experience and an unwavering commitment to responsive, personalized service, Eagle has earned a distinguished reputation for quality and reliability. Our customers can trust that we will deliver premium roof tile components, as well as visually refined and environmentally responsible concrete roof tile products that will last.



Eagle is customer service.







Built To Thrive Where Others Fail In Severe Weather

Choosing an Eagle Roofing Products concrete tile roof means investing in lasting protection and unwavering peace of mind. Engineered and tested to exceed the industry's highest standards, our tile is built to thrive where other roofing materials fail. A properly installed and maintained Eagle tile roof stands strong against relentless rain, heavy snow, powerful winds, and extreme heat—delivering unmatched performance without sacrificing its timeless beauty.



Fire Tested

Eagle Roof Tile is a Class A roof covering achieving the highest fire safety rating, providing excellent protection especially in wildfire-prone areas.



Hail/Impact Tested*

An outstanding choice for hail-affected regions, concrete roof tiles provide superior resiliency (unlike other roofing materials). Some insurance companies offer discounted premiums because of its impact resistance.

**Stockton, Arizona and Florida manufactured tiles only.*



High Wind Tested

An Eagle Tile Roof, when expertly installed using proper techniques, can withstand the strongest storms and harshest winds. Our tile is tested and approved for use in the Miami-Dade High Velocity Hurricane Zone, proven to endure sustained winds of up to 180 mph.




*Freeze Thaw Protection

Eagle Roof Tile passes Freeze-Thaw requirements.

**Excludes color bonded/slurry tiles.*

Roofing material lifespan over 75 years.*



Tile Roofing Is Simply The Superior Choice

NEW CONSTRUCTION · REROOF · RESIDENTIAL · COMMERCIAL



TILE VS SHINGLE: HOW DO THEY COMPARE?

Concrete Roof Tile: A Permanent Solution

- Eagle Tile Roofs are an excellent choice to safeguard your property
 - Exceptionally fire-resistant meeting rigorous Class A rated standards and Wildland Urban Interface (WUI) compliance for building materials
 - Can withstand sustained winds of up to 180mph*
 - Hail/Impact Tested (in certain regions)
 - Freeze-Thaw resistant (excludes color bonded/slurry tiles)
 - Does not warp, rust or bend like other materials
- Tile Roofs are a superior energy-efficient choice
 - Reflects solar heat
 - Creates natural ventilation
 - Reduces heat transfer into attics up to 70% less than asphalt shingles
 - Lowers energy costs up to 20% per year
- Eagle Tile is produced from natural products: sand, cement, water, oxide
 - Recyclable and biodegradable at the end of its lifespan
- Eagle Tile allows for creativity in design with a robust portfolio of colors and profiles to complement various architectural styles

Asphalt Shingle: A Temporary Roof Covering


- Asphalt Shingle Roofs are less durable and weather vulnerable
 - Factors like intense sun and extreme weather can shorten their lifespan
 - Easily damaged by strong winds and hail
 - Heat and moisture can cause cracks, curling and buckling
 - UV damage due to granule loss
 - Material matters—not all Shingle Roofs are Class A fire rated
- Shingle Roofs are less energy efficient - absorbing and trapping heat, radiating it down to the attic and home. Indoor temperatures rise which increases energy consumption
- Asphalt Shingles are not environmentally friendly as they are a petroleum-based product and fill landfills
- Asphalt Shingle Roofs offer less distinct curb appeal

Choose Permanence Over Temporary

By choosing an Eagle concrete tile roof for your forever home, you're investing in permanence and longevity. With proper installation, high-quality components, and routine maintenance, your tile roof can protect your residence, valuables and loved ones for a half-century or more. The alternative is a shingle roof that demands costly replacements every 15 years—and too often fails when you need it most.

ASPHALT SHINGLE VS CONCRETE ROOF TILE L I F E S P A N

“An asphalt shingle roof’s best day is the first day it is installed”.



“A properly maintained concrete tile roof can last 45-75 years, or more”.





Tapered Slate, Staggered-49602 Concord Blend

Committed to your Trust and Satisfaction

Specifying Eagle

Every effort has been made to provide you with the tools you need to specify Eagle on your next residential or commercial project. You can find these tools on our website at eagleroofing.com.



Installation

Eagle recommends that you find a licensed and insured Roofer for all of your roofing needs. Detailed installation recommendations can be found in the *Concrete and Clay Roof Tile Installation Manual* published by the Tile Roofing Industry Alliance & Western States Roofing Contractor Association. For further information, visit: tileroofing.org

Blended Tile

Blended tile provides added value and beauty to any architectural structure. **However, it requires careful placement in a randomized manner by your Roofing Contractor, who is responsible for ensuring that the tile installation is completed in an aesthetically pleasing manner.** Eagle Roofing Products recommends that you discuss this design effect and any concerns with your Roofer, prior to installation, to ensure that no hot spots (patches of color that undo the blended effect) are created.

Approvals

IAPMO ER #1900

Warranty

Servicing the building and roofing industries since 1989, Eagle Roofing Products proudly stands behind its products with a Transferable Limited Lifetime Product Warranty. We recommend that all customers read our warranty for details and conditions, which can be found at eagleroofing.com. To register your Eagle warranty, visit erwarranty.com.


Disclaimer

Eagle Roofing Products concrete roof tile is made from natural materials and color variations are to be expected. Every effort has been made to ensure the colors in this brochure are as close to the actual roof tile; however, photographic and printing techniques can alter the printed colors shown, varying it from actual tile colors. In addition,



colors are subject to change, as slight variations in color or flashing may occur during manufacturing. **To ensure your satisfaction with the tile you selected from this brochure, we strongly recommend that you obtain a free tile sample from your Roofing Contractor, an Eagle Design Center or an Eagle Account Representative before placing your order.**

Manufacturing Facilities Servicing






Technical Specifications

HIGH & MEDIUM PROFILES


Malibu

88 Tiles per 100 sq ft with 3" headlap
903 Approx. installed weight field tile per 100 sq ft



Capistrano


88.5 Tiles per 100 sq ft with 3" headlap
900 Approx. installed weight field tile per 100 sq ft



Boosted Tile

% used on roof	Approx. installed weight field tile per 100 sq ft
10% Application	990
20% Application	1080
30% Application	1170


Each Boosted Piece weighs approx. 4.8 lbs. (Not including Mortar)



LOW PROFILES

Bel Air, Ponderosa, Tapered Slate

88.5 Tiles per 100 sq ft with 3" headlap
970 Approx. installed weight field tile per 100 sq ft



Visit an Eagle Design Center

A beautiful roof is one of the most important architectural elements of a home or building. So why not visit an Eagle Design Center, where you can see our huge selection of colors, textures, styles and products? Whether you need tile samples, design consultation, technical specifications, installation guides or more, our knowledgeable professionals are here to support you every step of the way.



**Call Today to Schedule
Your Free Consultation!**

Nearest Design Center

Arizona

Phoenix
4608 W. Elwood
Phoenix, AZ 85043
Phone: 602-346-1749

*All consultations are by appointment only.
Please call ahead.*



Manufacturing Plant

Servicing Southwest & Great Plains

Phoenix
4602 W. Elwood
Phoenix, AZ 85043
Customer Service: 800-346-5260



Corporate Offices
3546 N Riverside Ave
Rialto, CA 92377

connect with us!



eagleroofing.com

Eagle is proud to be affiliated with these organizations:

